



HPH J-Hooks

HIGH PERFORMANCE HYBRID

2021
Product Catalog



PATENTED

PLENUM
RATED

TIA
Compliant



Eco-Friendly



Simi Valley, CA 93063

www.docindustries.com

1-800-544-8706

- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Flush mount design, allows the hook to sit flush against the wall.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with TIA 568-C and TIA 569-C.
- cULus listed, RoHS & REACH compliant, plenum rated, patented.

Snap-lock latch



Item No.	Size	Description	Color	Box QTY
HPH16	1"	Metal/plastic composite J-Hook with latch	White	25pcs
HPH16-R	1"	Metal/plastic composite J-Hook with latch	Red	25pcs
HPH16-B	1"	Metal/plastic composite J-Hook with latch	Blue	25pcs
HPH16-BK	1"	Metal/plastic composite J-Hook with latch	Black	25pcs
HPH32	2"	Metal/plastic composite J-Hook with latch	White	25pcs
HPH32-R	2"	Metal/plastic composite J-Hook with latch	Red	25pcs
HPH32-B	2"	Metal/plastic composite J-Hook with latch	Blue	25pcs
HPH32-BK	2"	Metal/plastic composite J-Hook with latch	Black	25pcs
HPH48	3"	Metal/plastic composite J-Hook with latch	White	25pcs
HPH48-R	3"	Metal/plastic composite J-Hook with latch	Red	25pcs
HPH48-B	3"	Metal/plastic composite J-Hook with latch	Blue	25pcs
HPH48-BK	3"	Metal/plastic composite J-Hook with latch	Black	25pcs
HPH64	4"	Metal/plastic composite J-Hook with latch	White	25pcs
HPH64-R	4"	Metal/plastic composite J-Hook with latch	Red	25pcs
HPH64-B	4"	Metal/plastic composite J-Hook with latch	Blue	25pcs
HPH64-BK	4"	Metal/plastic composite J-Hook with latch	Black	25pcs



HPH16
1"



HPH32
2"



HPH48
3"



HPH64
4"



HPH Color Options:



90° Angle clip with 1/4" hole

- Easily attaches to 1/4" threaded rod or directly to ceiling with fastener.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with TIA 568-C and TIA 569-C.
- cULus listed, RoHS & REACH compliant, plenum rated.



Item No.	Size	Description	Hole Size	Color	Box QTY
HPH16AC	1"	Metal/plastic composite J-Hook assembled to 90° angle clip	1/4"	White	25pcs
HPH16AC-R	1"	Metal/plastic composite J-Hook assembled to 90° angle clip	1/4"	Red	25pcs
HPH16AC-B	1"	Metal/plastic composite J-Hook assembled to 90° angle clip	1/4"	Blue	25pcs
HPH16AC-BK	1"	Metal/plastic composite J-Hook assembled to 90° angle clip	1/4"	Black	25pcs
HPH32AC	2"	Metal/plastic composite J-Hook assembled to 90° angle clip	1/4"	White	25pcs
HPH32AC-R	2"	Metal/plastic composite J-Hook assembled to 90° angle clip	1/4"	Red	25pcs
HPH32AC-B	2"	Metal/plastic composite J-Hook assembled to 90° angle clip	1/4"	Blue	25pcs
HPH32AC-BK	2"	Metal/plastic composite J-Hook assembled to 90° angle clip	1/4"	Black	25pcs
HPH48AC	3"	Metal/plastic composite J-Hook assembled to 90° angle clip	1/4"	White	25pcs
HPH48AC-R	3"	Metal/plastic composite J-Hook assembled to 90° angle clip	1/4"	Red	25pcs
HPH48AC-B	3"	Metal/plastic composite J-Hook assembled to 90° angle clip	1/4"	Blue	25pcs
HPH48AC-BK	3"	Metal/plastic composite J-Hook assembled to 90° angle clip	1/4"	Black	25pcs
HPH64AC	4"	Metal/plastic composite J-Hook assembled to 90° angle clip	1/4"	White	25pcs
HPH64AC-R	4"	Metal/plastic composite J-Hook assembled to 90° angle clip	1/4"	Red	25pcs
HPH64AC-B	4"	Metal/plastic composite J-Hook assembled to 90° angle clip	1/4"	Blue	25pcs
HPH64AC-BK	4"	Metal/plastic composite J-Hook assembled to 90° angle clip	1/4"	Black	25pcs



HPH Color Options:



90° Angle clip with 3/8" hole

- Easily attaches to 3/8" threaded rod or directly to ceiling with fastener.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with TIA 568-C and TIA 569-C.
- cULus listed, RoHS & REACH compliant, plenum rated.



Item No.	Size	Description	Hole Size	Color	Box QTY
HPH16AC6	1"	Metal/plastic composite J-Hook assembled to 90° angle clip	3/8"	White	25pcs
HPH16AC6-R	1"	Metal/plastic composite J-Hook assembled to 90° angle clip	3/8"	Red	25pcs
HPH16AC6-B	1"	Metal/plastic composite J-Hook assembled to 90° angle clip	3/8"	Blue	25pcs
HPH16AC6-BK	1"	Metal/plastic composite J-Hook assembled to 90° angle clip	3/8"	Black	25pcs
HPH32AC6	2"	Metal/plastic composite J-Hook assembled to 90° angle clip	3/8"	White	25pcs
HPH32AC6-R	2"	Metal/plastic composite J-Hook assembled to 90° angle clip	3/8"	Red	25pcs
HPH32AC6-B	2"	Metal/plastic composite J-Hook assembled to 90° angle clip	3/8"	Blue	25pcs
HPH32AC6-BK	2"	Metal/plastic composite J-Hook assembled to 90° angle clip	3/8"	Black	25pcs
HPH48AC6	3"	Metal/plastic composite J-Hook assembled to 90° angle clip	3/8"	White	25pcs
HPH48AC6-R	3"	Metal/plastic composite J-Hook assembled to 90° angle clip	3/8"	Red	25pcs
HPH48AC6-B	3"	Metal/plastic composite J-Hook assembled to 90° angle clip	3/8"	Blue	25pcs
HPH48AC6-BK	3"	Metal/plastic composite J-Hook assembled to 90° angle clip	3/8"	Black	25pcs
HPH64AC6	4"	Metal/plastic composite J-Hook assembled to 90° angle clip	3/8"	White	25pcs
HPH64AC6-R	4"	Metal/plastic composite J-Hook assembled to 90° angle clip	3/8"	Red	25pcs
HPH64AC6-B	4"	Metal/plastic composite J-Hook assembled to 90° angle clip	3/8"	Blue	25pcs
HPH64AC6-BK	4"	Metal/plastic composite J-Hook assembled to 90° angle clip	3/8"	Black	25pcs



HPH Color Options:



90° Angle Clip w/ 1-1/16" x 0.157" dia. pin for concrete

- Easily installs into concrete substrates with use of powder actuated tool.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as:
Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with TIA 568-C and TIA 569-C.
- cULus listed, RoHS compliant, plenum rated.



Item No.	Size	Description	Color	Box QTY
HPH16ACPA	1"	Metal/plastic composite J-Hook assembled to DOC9030 clip w/ pin	White	25pcs
HPH16ACPA-R	1"	Metal/plastic composite J-Hook assembled to DOC9030 clip w/ pin	Red	25pcs
HPH16ACPA-B	1"	Metal/plastic composite J-Hook assembled to DOC9030 clip w/ pin	Blue	25pcs
HPH16ACPA-BK	1"	Metal/plastic composite J-Hook assembled to DOC9030 clip w/ pin	Black	25pcs
HPH32ACPA	2"	Metal/plastic composite J-Hook assembled to DOC9030 clip w/ pin	White	25pcs
HPH32ACPA-R	2"	Metal/plastic composite J-Hook assembled to DOC9030 clip w/ pin	Red	25pcs
HPH32ACPA-B	2"	Metal/plastic composite J-Hook assembled to DOC9030 clip w/ pin	Blue	25pcs
HPH32ACPA-BK	2"	Metal/plastic composite J-Hook assembled to DOC9030 clip w/ pin	Black	25pcs
HPH48ACPA	3"	Metal/plastic composite J-Hook assembled to DOC9030 clip w/ pin	White	25pcs
HPH48ACPA-R	3"	Metal/plastic composite J-Hook assembled to DOC9030 clip w/ pin	Red	25pcs
HPH48ACPA-B	3"	Metal/plastic composite J-Hook assembled to DOC9030 clip w/ pin	Blue	25pcs
HPH48ACPA-BK	3"	Metal/plastic composite J-Hook assembled to DOC9030 clip w/ pin	Black	25pcs
HPH64ACPA	4"	Metal/plastic composite J-Hook assembled to DOC9030 clip w/ pin	White	25pcs
HPH64ACPA-R	4"	Metal/plastic composite J-Hook assembled to DOC9030 clip w/ pin	Red	25pcs
HPH64ACPA-B	4"	Metal/plastic composite J-Hook assembled to DOC9030 clip w/ pin	Blue	25pcs
HPH64ACPA-BK	4"	Metal/plastic composite J-Hook assembled to DOC9030 clip w/ pin	Black	25pcs



HPH Color Options:



Batwing clip for threaded rod or ceiling wire

- Easily attaches to 1/4" threaded rod or 8-12 gauge drop ceiling wire.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with TIA 568-C and TIA 569-C.
- cULus listed, plenum rated.



Item No.	Size	Description	Color	Box QTY
HPH16W	1"	Metal/plastic composite J-Hook assembled to W34 batwing	White	25pcs
HPH16W-R	1"	Metal/plastic composite J-Hook assembled to W34 batwing	Red	25pcs
HPH16W-B	1"	Metal/plastic composite J-Hook assembled to W34 batwing	Blue	25pcs
HPH16W-BK	1"	Metal/plastic composite J-Hook assembled to W34 batwing	Black	25pcs
HPH32W	2"	Metal/plastic composite J-Hook assembled to W34 batwing	White	25pcs
HPH32W-R	2"	Metal/plastic composite J-Hook assembled to W34 batwing	Red	25pcs
HPH32W-B	2"	Metal/plastic composite J-Hook assembled to W34 batwing	Blue	25pcs
HPH32W-BK	2"	Metal/plastic composite J-Hook assembled to W34 batwing	Black	25pcs
HPH48W	3"	Metal/plastic composite J-Hook assembled to W34 batwing	White	25pcs
HPH48W-R	3"	Metal/plastic composite J-Hook assembled to W34 batwing	Red	25pcs
HPH48W-B	3"	Metal/plastic composite J-Hook assembled to W34 batwing	Blue	25pcs
HPH48W-BK	3"	Metal/plastic composite J-Hook assembled to W34 batwing	Black	25pcs
HPH64W	4"	Metal/plastic composite J-Hook assembled to W34 batwing	White	25pcs
HPH64W-R	4"	Metal/plastic composite J-Hook assembled to W34 batwing	Red	25pcs
HPH64W-B	4"	Metal/plastic composite J-Hook assembled to W34 batwing	Blue	25pcs
HPH64W-BK	4"	Metal/plastic composite J-Hook assembled to W34 batwing	Black	25pcs



HPH Color Options:



Hammer-on beam clamp for flanges 1/8" - 1/4" thick

- Easily hammers onto flanges 1/8" - 1/4" thick.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with TIA 568-C and TIA 569-C.
- cULus listed, RoHS & REACH compliant, plenum rated.



Item No.	Size	Description	Color	Box QTY
HPH16HOK24	1"	Metal/plastic composite J-Hook assembled to HOK24	White	25pcs
HPH16HOK24-R	1"	Metal/plastic composite J-Hook assembled to HOK24	Red	25pcs
HPH16HOK24-B	1"	Metal/plastic composite J-Hook assembled to HOK24	Blue	25pcs
HPH16HOK24-BK	1"	Metal/plastic composite J-Hook assembled to HOK24	Black	25pcs
HPH32HOK24	2"	Metal/plastic composite J-Hook assembled to HOK24	White	25pcs
HPH32HOK24-R	2"	Metal/plastic composite J-Hook assembled to HOK24	Red	25pcs
HPH32HOK24-B	2"	Metal/plastic composite J-Hook assembled to HOK24	Blue	25pcs
HPH32HOK24-BK	2"	Metal/plastic composite J-Hook assembled to HOK24	Black	25pcs
HPH48HOK24	3"	Metal/plastic composite J-Hook assembled to HOK24	White	25pcs
HPH48HOK24-R	3"	Metal/plastic composite J-Hook assembled to HOK24	Red	25pcs
HPH48HOK24-B	3"	Metal/plastic composite J-Hook assembled to HOK24	Blue	25pcs
HPH48HOK24-BK	3"	Metal/plastic composite J-Hook assembled to HOK24	Black	25pcs
HPH64HOK24	4"	Metal/plastic composite J-Hook assembled to HOK24	White	25pcs
HPH64HOK24-R	4"	Metal/plastic composite J-Hook assembled to HOK24	Red	25pcs
HPH64HOK24-B	4"	Metal/plastic composite J-Hook assembled to HOK24	Blue	25pcs
HPH64HOK24-BK	4"	Metal/plastic composite J-Hook assembled to HOK24	Black	25pcs



HPH Color Options:



Hammer-on beam clamp for flanges 5/16" - 1/2" thick

- Easily hammers onto flanges 5/16" - 1/2" thick.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with TIA 568-C and TIA 569-C.
- cULus listed, RoHS & REACH compliant, plenum rated.



Item No.	Size	Description	Color	Box QTY
HPH16HOK58	1"	Metal/plastic composite J-Hook assembled to HOK58	White	25pcs
HPH16HOK58-R	1"	Metal/plastic composite J-Hook assembled to HOK58	Red	25pcs
HPH16HOK58-B	1"	Metal/plastic composite J-Hook assembled to HOK58	Blue	25pcs
HPH16HOK58-BK	1"	Metal/plastic composite J-Hook assembled to HOK58	Black	25pcs
HPH32HOK58	2"	Metal/plastic composite J-Hook assembled to HOK58	White	25pcs
HPH32HOK58-R	2"	Metal/plastic composite J-Hook assembled to HOK58	Red	25pcs
HPH32HOK58-B	2"	Metal/plastic composite J-Hook assembled to HOK58	Blue	25pcs
HPH32HOK58-BK	2"	Metal/plastic composite J-Hook assembled to HOK58	Black	25pcs
HPH48HOK58	3"	Metal/plastic composite J-Hook assembled to HOK58	White	25pcs
HPH48HOK58-R	3"	Metal/plastic composite J-Hook assembled to HOK58	Red	25pcs
HPH48HOK58-B	3"	Metal/plastic composite J-Hook assembled to HOK58	Blue	25pcs
HPH48HOK58-BK	3"	Metal/plastic composite J-Hook assembled to HOK58	Black	25pcs
HPH64HOK58	4"	Metal/plastic composite J-Hook assembled to HOK58	White	25pcs
HPH64HOK58-R	4"	Metal/plastic composite J-Hook assembled to HOK58	Red	25pcs
HPH64HOK58-B	4"	Metal/plastic composite J-Hook assembled to HOK58	Blue	25pcs
HPH64HOK58-BK	4"	Metal/plastic composite J-Hook assembled to HOK58	Black	25pcs



HPH Color Options:



Hammer-on beam clamp for flanges 1/8" - 1/4" thick

- Easily hammers onto flanges 1/8" - 1/4" thick.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with TIA 568-C and TIA 569-C.
- cULus listed, RoHS & REACH compliant, plenum rated.



Item No.	Size	Description	Color	Box QTY
HPH16FM24	1"	Metal/plastic composite J-Hook assembled to FM24 (360°)	White	25pcs
HPH16FM24-R	1"	Metal/plastic composite J-Hook assembled to FM24 (360°)	Red	25pcs
HPH16FM24-B	1"	Metal/plastic composite J-Hook assembled to FM24 (360°)	Blue	25pcs
HPH16FM24-BK	1"	Metal/plastic composite J-Hook assembled to FM24 (360°)	Black	25pcs
HPH32FM24	2"	Metal/plastic composite J-Hook assembled to FM24 (360°)	White	25pcs
HPH32FM24-R	2"	Metal/plastic composite J-Hook assembled to FM24 (360°)	Red	25pcs
HPH32FM24-B	2"	Metal/plastic composite J-Hook assembled to FM24 (360°)	Blue	25pcs
HPH32FM24-BK	2"	Metal/plastic composite J-Hook assembled to FM24 (360°)	Black	25pcs
HPH48FM24	3"	Metal/plastic composite J-Hook assembled to FM24 (360°)	White	25pcs
HPH48FM24-R	3"	Metal/plastic composite J-Hook assembled to FM24 (360°)	Red	25pcs
HPH48FM24-B	3"	Metal/plastic composite J-Hook assembled to FM24 (360°)	Blue	25pcs
HPH48FM24-BK	3"	Metal/plastic composite J-Hook assembled to FM24 (360°)	Black	25pcs
HPH64FM24	4"	Metal/plastic composite J-Hook assembled to FM24 (360°)	White	25pcs
HPH64FM24-R	4"	Metal/plastic composite J-Hook assembled to FM24 (360°)	Red	25pcs
HPH64FM24-B	4"	Metal/plastic composite J-Hook assembled to FM24 (360°)	Blue	25pcs
HPH64FM24-BK	4"	Metal/plastic composite J-Hook assembled to FM24 (360°)	Black	25pcs



HPH Color Options:



Hammer-on beam clamp for flanges 5/16" - 1/2" thick

- Easily hammers onto flanges 5/16" - 1/2" thick.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with TIA 568-C and TIA 569-C.
- cULus listed, RoHS & REACH compliant, plenum rated.



Item No.	Size	Description	Color	Box QTY
HPH16FM58	1"	Metal/plastic composite J-Hook assembled to FM58(360°)	White	25pcs
HPH16FM58-R	1"	Metal/plastic composite J-Hook assembled to FM58 (360°)	Red	25pcs
HPH16FM58-B	1"	Metal/plastic composite J-Hook assembled to FM58 (360°)	Blue	25pcs
HPH16FM58-BK	1"	Metal/plastic composite J-Hook assembled to FM58 (360°)	Black	25pcs
HPH32FM58	2"	Metal/plastic composite J-Hook assembled to FM58 (360°)	White	25pcs
HPH32FM58-R	2"	Metal/plastic composite J-Hook assembled to FM58 (360°)	Red	25pcs
HPH32FM58-B	2"	Metal/plastic composite J-Hook assembled to FM58 (360°)	Blue	25pcs
HPH32FM58-BK	2"	Metal/plastic composite J-Hook assembled to FM58 (360°)	Black	25pcs
HPH48FM58	3"	Metal/plastic composite J-Hook assembled to FM58 (360°)	White	25pcs
HPH48FM58-R	3"	Metal/plastic composite J-Hook assembled to FM58 (360°)	Red	25pcs
HPH48FM58-B	3"	Metal/plastic composite J-Hook assembled to FM58 (360°)	Blue	25pcs
HPH48FM58-BK	3"	Metal/plastic composite J-Hook assembled to FM58 (360°)	Black	25pcs
HPH64FM58	4"	Metal/plastic composite J-Hook assembled to FM58 (360°)	White	25pcs
HPH64FM58-R	4"	Metal/plastic composite J-Hook assembled to FM58 (360°)	Red	25pcs
HPH64FM58-B	4"	Metal/plastic composite J-Hook assembled to FM58 (360°)	Blue	25pcs
HPH64FM58-BK	4"	Metal/plastic composite J-Hook assembled to FM58 (360°)	Black	25pcs



HPH Color Options:



Pressed beam clamp for flanges 1/8" - 1/2" thick

- Easily attaches to flanges 1/8" - 1/2" thick with Phillips/Hex screw.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with TIA 568-C and TIA 569-C.
- cULus listed, RoHS & REACH compliant, plenum rated.



Item No.	Size	Description	Color	Box QTY
HPH16PBC	1"	Metal/plastic composite J-Hook assembled to PBC beam clamp	White	25pcs
HPH16PBC-R	1"	Metal/plastic composite J-Hook assembled to PBC beam clamp	Red	25pcs
HPH16PBC-B	1"	Metal/plastic composite J-Hook assembled to PBC beam clamp	Blue	25pcs
HPH16PBC-BK	1"	Metal/plastic composite J-Hook assembled to PBC beam clamp	Black	25pcs
HPH32PBC	2"	Metal/plastic composite J-Hook assembled to PBC beam clamp	White	25pcs
HPH32PBC-R	2"	Metal/plastic composite J-Hook assembled to PBC beam clamp	Red	25pcs
HPH32PBC-B	2"	Metal/plastic composite J-Hook assembled to PBC beam clamp	Blue	25pcs
HPH32PBC-BK	2"	Metal/plastic composite J-Hook assembled to PBC beam clamp	Black	25pcs
HPH48PBC	3"	Metal/plastic composite J-Hook assembled to PBC beam clamp	White	25pcs
HPH48PBC-R	3"	Metal/plastic composite J-Hook assembled to PBC beam clamp	Red	25pcs
HPH48PBC-B	3"	Metal/plastic composite J-Hook assembled to PBC beam clamp	Blue	25pcs
HPH48PBC-BK	3"	Metal/plastic composite J-Hook assembled to PBC beam clamp	Black	25pcs
HPH64PBC	4"	Metal/plastic composite J-Hook assembled to PBC beam clamp	White	25pcs
HPH64PBC-R	4"	Metal/plastic composite J-Hook assembled to PBC beam clamp	Red	25pcs
HPH64PBC-B	4"	Metal/plastic composite J-Hook assembled to PBC beam clamp	Blue	25pcs
HPH64PBC-BK	4"	Metal/plastic composite J-Hook assembled to PBC beam clamp	Black	25pcs



HPH Color Options:



Pressed beam clamp for flanges 1/8" - 1/2" thick

- Easily attaches to flanges 1/8" - 1/2" thick with Phillips/Hex screw.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with TIA 568-C and TIA 569-C.
- cULus listed, RoHS & REACH compliant, plenum rated.



Item No.	Size	Description	Color	Box QTY
HPH16ACPBC	1"	Metal/plastic composite J-Hook assembled to PBC (360°)	White	25pcs
HPH16ACPBC-R	1"	Metal/plastic composite J-Hook assembled to PBC (360°)	Red	25pcs
HPH16ACPBC-B	1"	Metal/plastic composite J-Hook assembled to PBC (360°)	Blue	25pcs
HPH16ACPBC-BK	1"	Metal/plastic composite J-Hook assembled to PBC (360°)	Black	25pcs
HPH32ACPBC	2"	Metal/plastic composite J-Hook assembled to PBC (360°)	White	25pcs
HPH32ACPBC-R	2"	Metal/plastic composite J-Hook assembled to PBC (360°)	Red	25pcs
HPH32ACPBC-B	2"	Metal/plastic composite J-Hook assembled to PBC (360°)	Blue	25pcs
HPH32ACPBC-BK	2"	Metal/plastic composite J-Hook assembled to PBC (360°)	Black	25pcs
HPH48ACPBC	3"	Metal/plastic composite J-Hook assembled to PBC (360°)	White	25pcs
HPH48ACPBC-R	3"	Metal/plastic composite J-Hook assembled to PBC (360°)	Red	25pcs
HPH48ACPBC-B	3"	Metal/plastic composite J-Hook assembled to PBC (360°)	Blue	25pcs
HPH48ACPBC-BK	3"	Metal/plastic composite J-Hook assembled to PBC (360°)	Black	25pcs
HPH64ACPBC	4"	Metal/plastic composite J-Hook assembled to PBC (360°)	White	25pcs
HPH64ACPBC-R	4"	Metal/plastic composite J-Hook assembled to PBC (360°)	Red	25pcs
HPH64ACPBC-B	4"	Metal/plastic composite J-Hook assembled to PBC (360°)	Blue	25pcs
HPH64ACPBC-BK	4"	Metal/plastic composite J-Hook assembled to PBC (360°)	Black	25pcs



HPH Color Options:



Spring Steel beam clamp for flanges 1/8" - 1/2" thick

- Easily attaches to flanges 1/8" - 1/2" thick with Phillips/Hex screw.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with TIA 568-C and TIA 569-C.
- cULus listed, RoHS & REACH compliant, plenum rated.



Item No.	Size	Description	Color	Box QTY
HPH16SSBC	1"	Metal/plastic composite J-Hook assembled to SSBC beam clamp	White	25pcs
HPH16SSBC-R	1"	Metal/plastic composite J-Hook assembled to SSBC beam clamp	Red	25pcs
HPH16SSBC-B	1"	Metal/plastic composite J-Hook assembled to SSBC beam clamp	Blue	25pcs
HPH16SSBC-BK	1"	Metal/plastic composite J-Hook assembled to SSBC beam clamp	Black	25pcs
HPH32SSBC	2"	Metal/plastic composite J-Hook assembled to SSBC beam clamp	White	25pcs
HPH32SSBC-R	2"	Metal/plastic composite J-Hook assembled to SSBC beam clamp	Red	25pcs
HPH32SSBC-B	2"	Metal/plastic composite J-Hook assembled to SSBC beam clamp	Blue	25pcs
HPH32SSBC-BK	2"	Metal/plastic composite J-Hook assembled to SSBC beam clamp	Black	25pcs
HPH48SSBC	3"	Metal/plastic composite J-Hook assembled to SSBC beam clamp	White	25pcs
HPH48SSBC-R	3"	Metal/plastic composite J-Hook assembled to SSBC beam clamp	Red	25pcs
HPH48SSBC-B	3"	Metal/plastic composite J-Hook assembled to SSBC beam clamp	Blue	25pcs
HPH48SSBC-BK	3"	Metal/plastic composite J-Hook assembled to SSBC beam clamp	Black	25pcs
HPH64SSBC	4"	Metal/plastic composite J-Hook assembled to SSBC beam clamp	White	25pcs
HPH64SSBC-R	4"	Metal/plastic composite J-Hook assembled to SSBC beam clamp	Red	25pcs
HPH64SSBC-B	4"	Metal/plastic composite J-Hook assembled to SSBC beam clamp	Blue	25pcs
HPH64SSBC-BK	4"	Metal/plastic composite J-Hook assembled to SSBC beam clamp	Black	25pcs



HPH Color Options:



Spring steel beam clamp for flanges 1/8" - 1/2" thick

- Easily attaches to flanges 1/8" - 1/2" thick with Phillips/Hex screw.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with TIA 568-C and TIA 569-C.
- cULus listed, RoHS & REACH compliant, plenum rated.



Item No.	Size	Description	Color	Box QTY
HPH16ACSSBC	1"	Metal/plastic composite J-Hook assembled to SSBC (360°)	White	25pcs
HPH16ACSSBC-R	1"	Metal/plastic composite J-Hook assembled to SSBC (360°)	Red	25pcs
HPH16ACSSBC-B	1"	Metal/plastic composite J-Hook assembled to SSBC (360°)	Blue	25pcs
HPH16ACSSBC-BK	1"	Metal/plastic composite J-Hook assembled to SSBC (360°)	Black	25pcs
HPH32ACSSBC	2"	Metal/plastic composite J-Hook assembled to SSBC (360°)	White	25pcs
HPH32ACSSBC-R	2"	Metal/plastic composite J-Hook assembled to SSBC (360°)	Red	25pcs
HPH32ACSSBC-B	2"	Metal/plastic composite J-Hook assembled to SSBC (360°)	Blue	25pcs
HPH32ACSSBC-BK	2"	Metal/plastic composite J-Hook assembled to SSBC (360°)	Black	25pcs
HPH48ACSSBC	3"	Metal/plastic composite J-Hook assembled to SSBC (360°)	White	25pcs
HPH48ACSSBC-R	3"	Metal/plastic composite J-Hook assembled to SSBC (360°)	Red	25pcs
HPH48ACSSBC-B	3"	Metal/plastic composite J-Hook assembled to SSBC (360°)	Blue	25pcs
HPH48ACSSBC-BK	3"	Metal/plastic composite J-Hook assembled to SSBC (360°)	Black	25pcs
HPH64ACSSBC	4"	Metal/plastic composite J-Hook assembled to SSBC (360°)	White	25pcs
HPH64ACSSBC-R	4"	Metal/plastic composite J-Hook assembled to SSBC (360°)	Red	25pcs
HPH64ACSSBC-B	4"	Metal/plastic composite J-Hook assembled to SSBC (360°)	Blue	25pcs
HPH64ACSSBC-BK	4"	Metal/plastic composite J-Hook assembled to SSBC (360°)	Black	25pcs



HPH Color Options:



C Purlin verticle joist clip

- Easily attaches to 90° flanges 1/8" - 1/4" thick.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with TIA 568-C and TIA 569-C.
- cULus listed, RoHS & REACH compliant, plenum rated.



Item No.	Size	Description	Color	Box QTY
HPH16VOH14	1"	Metal/plastic composite J-Hook assembled to VOH14 clip	White	25pcs
HPH16VOH14-R	1"	Metal/plastic composite J-Hook assembled to VOH14 clip	Red	25pcs
HPH16VOH14-B	1"	Metal/plastic composite J-Hook assembled to VOH14 clip	Blue	25pcs
HPH16VOH14-BK	1"	Metal/plastic composite J-Hook assembled to VOH14 clip	Black	25pcs
HPH32VOH14	2"	Metal/plastic composite J-Hook assembled to VOH14 clip	White	25pcs
HPH32VOH14-R	2"	Metal/plastic composite J-Hook assembled to VOH14 clip	Red	25pcs
HPH32VOH14-B	2"	Metal/plastic composite J-Hook assembled to VOH14 clip	Blue	25pcs
HPH32VOH14-BK	2"	Metal/plastic composite J-Hook assembled to VOH14 clip	Black	25pcs
HPH48VOH14	3"	Metal/plastic composite J-Hook assembled to VOH14 clip	White	25pcs
HPH48VOH14-R	3"	Metal/plastic composite J-Hook assembled to VOH14 clip	Red	25pcs
HPH48VOH14-B	3"	Metal/plastic composite J-Hook assembled to VOH14 clip	Blue	25pcs
HPH48VOH14-BK	3"	Metal/plastic composite J-Hook assembled to VOH14 clip	Black	25pcs
HPH64VOH146	4"	Metal/plastic composite J-Hook assembled to VOH14 clip	White	25pcs
HPH64VOH14-R	4"	Metal/plastic composite J-Hook assembled to VOH14 clip	Red	25pcs
HPH64VOH14-B	4"	Metal/plastic composite J-Hook assembled to VOH14 clip	Blue	25pcs
HPH64VOH14-BK	4"	Metal/plastic composite J-Hook assembled to VOH14 clip	Black	25pcs



HPH Color Options:



- Easily attaches to 45° flanges 1/8" - 1/4" thick.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with TIA 568-C and TIA 569-C.
- cULus listed, RoHS & REACH compliant, plenum rated.



Item No.	Size	Description	Color	Box QTY
HPH16ADOC14	1"	Metal/plastic composite J-Hook assembled to ADOC14 clip	White	25pcs
HPH16ADOC14-R	1"	Metal/plastic composite J-Hook assembled to ADOC14 clip	Red	25pcs
HPH16ADOC14-B	1"	Metal/plastic composite J-Hook assembled to ADOC14 clip	Blue	25pcs
HPH16ADOC14-BK	1"	Metal/plastic composite J-Hook assembled to ADOC14 clip	Black	25pcs
HPH32ADOC14	2"	Metal/plastic composite J-Hook assembled to ADOC14 clip	White	25pcs
HPH32ADOC14-R	2"	Metal/plastic composite J-Hook assembled to ADOC14 clip	Red	25pcs
HPH32ADOC14-B	2"	Metal/plastic composite J-Hook assembled to ADOC14 clip	Blue	25pcs
HPH32ADOC14-BK	2"	Metal/plastic composite J-Hook assembled to ADOC14 clip	Black	25pcs
HPH48ADOC14	3"	Metal/plastic composite J-Hook assembled to ADOC14 clip	White	25pcs
HPH48ADOC14-R	3"	Metal/plastic composite J-Hook assembled to ADOC14 clip	Red	25pcs
HPH48ADOC14-B	3"	Metal/plastic composite J-Hook assembled to ADOC14 clip	Blue	25pcs
HPH48ADOC14-BK	3"	Metal/plastic composite J-Hook assembled to ADOC14 clip	Black	25pcs
HPH64ADOC14	4"	Metal/plastic composite J-Hook assembled to ADOC14 clip	White	25pcs
HPH64ADOC14-R	4"	Metal/plastic composite J-Hook assembled to ADOC14 clip	Red	25pcs
HPH64ADOC14-B	4"	Metal/plastic composite J-Hook assembled to ADOC14 clip	Blue	25pcs
HPH64ADOC14-BK	4"	Metal/plastic composite J-Hook assembled to ADOC14 clip	Black	25pcs



HPH Color Options:



1/4" female threaded eye coupling

- Easily attaches to 1/4" threaded rod or any male 1/4"-20 machine thread.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as:
Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black.
- Complies with TIA 568-C and TIA 569-C.
- RoHS & REACH compliant, plenum rated.



Item No.	Size	Description	Thread Size	Color	Box QTY
HPH16EC14	1"	Metal/plastic composite J-Hook assembled to eye coupling	1/4"	White	25pcs
HPH16EC14-R	1"	Metal/plastic composite J-Hook assembled to eye coupling	1/4"	Red	25pcs
HPH16EC14-B	1"	Metal/plastic composite J-Hook assembled to eye coupling	1/4"	Blue	25pcs
HPH16EC14-BK	1"	Metal/plastic composite J-Hook assembled to eye coupling	1/4"	Black	25pcs
HPH32EC14	2"	Metal/plastic composite J-Hook assembled to eye coupling	1/4"	White	25pcs
HPH32EC14-R	2"	Metal/plastic composite J-Hook assembled to eye coupling	1/4"	Red	25pcs
HPH32EC14-B	2"	Metal/plastic composite J-Hook assembled to eye coupling	1/4"	Blue	25pcs
HPH32EC14-BK	2"	Metal/plastic composite J-Hook assembled to eye coupling	1/4"	Black	25pcs
HPH48EC14	3"	Metal/plastic composite J-Hook assembled to eye coupling	1/4"	White	25pcs
HPH48EC14-R	3"	Metal/plastic composite J-Hook assembled to eye coupling	1/4"	Red	25pcs
HPH48EC14-B	3"	Metal/plastic composite J-Hook assembled to eye coupling	1/4"	Blue	25pcs
HPH48EC14-BK	3"	Metal/plastic composite J-Hook assembled to eye coupling	1/4"	Black	25pcs
HPH64EC14	4"	Metal/plastic composite J-Hook assembled to eye coupling	1/4"	White	25pcs
HPH64EC14-R	4"	Metal/plastic composite J-Hook assembled to eye coupling	1/4"	Red	25pcs
HPH64EC14-B	4"	Metal/plastic composite J-Hook assembled to eye coupling	1/4"	Blue	25pcs
HPH64EC14-BK	4"	Metal/plastic composite J-Hook assembled to eye coupling	1/4"	Black	25pcs



HPH Color Options:



3/8" female threaded eye coupling

- Easily attaches to 3/8" threaded rod or any male 3/8"-16 machine thread.
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as:
Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1", 2", 3" & 4".
- Available colors: White, Blue, Red & Black..
- Complies with TIA 568-C and TIA 569-C.
- RoHS & REACH compliant, plenum rated.



Item No.	Size	Description	Thread Size	Color	Box QTY
HPH16EC38	1"	Metal/plastic composite J-Hook assembled to eye coupling	3/8"	White	25pcs
HPH16EC38-R	1"	Metal/plastic composite J-Hook assembled to eye coupling	3/8"	Red	25pcs
HPH16EC38-B	1"	Metal/plastic composite J-Hook assembled to eye coupling	3/8"	Blue	25pcs
HPH16EC38-BK	1"	Metal/plastic composite J-Hook assembled to eye coupling	3/8"	Black	25pcs
HPH32EC38	2"	Metal/plastic composite J-Hook assembled to eye coupling	3/8"	White	25pcs
HPH32EC38-R	2"	Metal/plastic composite J-Hook assembled to eye coupling	3/8"	Red	25pcs
HPH32EC38-B	2"	Metal/plastic composite J-Hook assembled to eye coupling	3/8"	Blue	25pcs
HPH32EC38-BK	2"	Metal/plastic composite J-Hook assembled to eye coupling	3/8"	Black	25pcs
HPH48EC38	3"	Metal/plastic composite J-Hook assembled to eye coupling	3/8"	White	25pcs
HPH48EC38-R	3"	Metal/plastic composite J-Hook assembled to eye coupling	3/8"	Red	25pcs
HPH48EC38-B	3"	Metal/plastic composite J-Hook assembled to eye coupling	3/8"	Blue	25pcs
HPH48EC38-BK	3"	Metal/plastic composite J-Hook assembled to eye coupling	3/8"	Black	25pcs
HPH64EC38	4"	Metal/plastic composite J-Hook assembled to eye coupling	3/8"	White	25pcs
HPH64EC38-R	4"	Metal/plastic composite J-Hook assembled to eye coupling	3/8"	Red	25pcs
HPH64EC38-B	4"	Metal/plastic composite J-Hook assembled to eye coupling	3/8"	Blue	25pcs
HPH64EC38-BK	4"	Metal/plastic composite J-Hook assembled to eye coupling	3/8"	Black	25pcs



HPH Color Options:



Side Mount Magnet for wall mount

- Easily attaches to metallic surfaces, no tools required!
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as: Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1" & 2".
- Available colors: White, Blue, Red & Black.
- Complies with TIA 568-C and TIA 569-C.
- RoHS compliant & plenum rated HPH J-Hook.



Item No.	Size	Description	Color	Box QTY
HPH16PMSM	1"	Metal/plastic composite J-Hook assembled to PM90 magnet	White	10pcs
HPH16PMSM-R	1"	Metal/plastic composite J-Hook assembled to PM90 magnet	Red	10pcs
HPH16PMSM-B	1"	Metal/plastic composite J-Hook assembled to PM90 magnet	Blue	10pcs
HPH16PMSM-BK	1"	Metal/plastic composite J-Hook assembled to PM90 magnet	Black	10pcs
HPH32PMSM	2"	Metal/plastic composite J-Hook assembled to PM90 magnet	White	10pcs
HPH32PMSM-R	2"	Metal/plastic composite J-Hook assembled to PM90 magnet	Red	10pcs
HPH32PMSM-B	2"	Metal/plastic composite J-Hook assembled to PM90 magnet	Blue	10pcs
HPH32PMSM-BK	2"	Metal/plastic composite J-Hook assembled to PM90 magnet	Black	10pcs



WARNING:

Before using a magnet, please refer to the warnings at:

<https://docsindustries.com/wp-content/uploads/2019/06/Docs-Magnet-Labeling.pdf>

or by scanning the QR code here:



HPH Color Options:



Top Mount Magnets

- Easily attaches to metallic surfaces, no tools required!
- HPH J-Hooks are specially designed to provide optimum support for high speed data cable, such as:
Cat 5e, Cat 6, Cat 6A, Cat 7 and fiber optic.
- Built-in snap-lock latch.
- Wide base 2" plastic saddle provides the optimum bend radius support for high speed data cables.
- Available in 1" & 2"
- Available colors: White, Blue, Red & Black.
- Complies with TIA 568-C and TIA 569-C.
- RoHS compliant & plenum rated HPH J-Hook.



Item No.	Size	Description	Color	Box QTY
HPH16PM	1"	Metal/plastic composite J-Hook assembled to PM90 magnet	White	10pcs
HPH16PM-R	1"	Metal/plastic composite J-Hook assembled to PM90 magnet	Red	10pcs
HPH16PM-B	1"	Metal/plastic composite J-Hook assembled to PM90 magnet	Blue	10pcs
HPH16PM-BK	1"	Metal/plastic composite J-Hook assembled to PM90 magnet	Black	10pcs
HPH32PM	2"	Metal/plastic composite J-Hook assembled to PM90 magnet	White	10pcs
HPH32PM-R	2"	Metal/plastic composite J-Hook assembled to PM90 magnet	Red	10pcs
HPH32PM-B	2"	Metal/plastic composite J-Hook assembled to PM90 magnet	Blue	10pcs
HPH32PM-BK	2"	Metal/plastic composite J-Hook assembled to PM90 magnet	Black	10pcs



WARNING:

Before using a magnet, please refer to the warnings at:

<https://docsindustries.com/wp-content/uploads/2019/06/Docs-Magnet-Labeling.pdf>

or by scanning the QR code here:



HPH Color Options:

